

Goldriesling B

Wine grape variety.



Origin

This variety was obtained by C. Oberlin and probably results from a crossbreeding between Riesling and Précoce de Malingre.

Use

Wine grape variety.

Name of the variety in France

Goldriesling

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Goldriesling is officially listed in the "Catalogue of vine varieties" on the A list and classified. This variety is also listed in the catalogues of other Member States of the European Union: Austria, Denmark and Germany.

Description elements

The identification is based on:

- the tip of the young shoot with a high density of erect hairs,
- the green young leaves with bronze spots,
- the circular adult leaves, with three or five lobes, U-shaped lateral sinuses, a closed petiole sinus with slightly overlapping lobes, leaving a rounded light, medium teeth with convex or straight sides, a slight anthocyanin coloration of veins, a twisted leaf blade, and on the lower side of the leaves, a medium density of erect hairs,
- the round-shaped or broad ellipsoid berries.

Evolution of cultivated areas in France

Year ha

195870

196847

19796

20180

Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	135	223	239	178	194	246	248	227	251
Allele 2	149	225	249	186	204	246	254	235	271

Cultivation and agronomic skills

Goldriesling is not very vigorous. It is a ood producer but rather sensitive to winter frost. Its early budburst also exposes it to spring frosts.

Susceptibility to Diseases and Pests

Goldriesling is susceptible to downy mildew and grey rot. It is less affected by powdery mildew.

Clonal selection in France

There is no certified clone for this variety yet.

Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro | Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.

Phenology

Bud burst: same as Chasselas.
Grape maturity: early-season, 1 week after Chasselas.

Technological potential

The bunches and berries are small. Goldriesling produces average quality wines.



*Plantgrape, all rights reserved,
plantgrape.com, © UMT Géno-Vigne®
INRA - IFV - L'Institut Agro Montpellier*