

Gringet B

Wine grape variety.



Origin

This variety is native from the Haute-Savoie region (Arve valley) and specific to the area.

Use

Wine grape variety.

Name of the variety in France

Gringet

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Gringet is officially listed in the "Catalogue of vine varieties" on the A list and classified.

Description elements

The identification is based on:

- the green young leaves,
- the circular adult leaves, entire or with three lobes, with a slightly open or closed petiole sinus, short to medium teeth with straight or convex sides, no anthocyanin coloration of veins, a flat leaf blade, and on the lower side of the leaves, a low density of prostrate hairs,
- the round-shaped berries.

Evolution of cultivated areas in France

Year ha

19689

197911

198825

200030

200826

201822

Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	225	247	176	194	252	240	233	251
Allele 2	149	234	257	186	196	260	248	263	271

Cultivation and agronomic skills

This variety is moderately productive with a drooping bearing. It must therefore be trained and managed by short pruning or simple Guyot pruning. Gringet produces good results on scree slopes.

Susceptibility to Diseases and Pests

Gringet is susceptible to bud mite disease, powdery mildew and is very sensitive to downy mildew.

Clonal selection in France

The only certified Gringet clone carries the number 947. A conservatory of 15 or so clones was planted in 1999 in the wine-growing region of Savoie.

Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro | Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.

Phenology

Bud burst: 9 days after Chasselas.

Grape maturity: mid-season, 2 weeks after Chasselas.

Technological potential

The bunches are large and the berries are small. This variety is more often used to produce sparkling wines (sparkling or semi-sparkling wines). Gringet wines are light, lively with floral notes.



*Plantgrape, all rights reserved,
plantgrape.com, © UMT Géno-Vigne®
INRA - IFV - L'Institut Agro Montpellier*