

# Lledoner pelut N

Wine grape variety.



## Origin

This variety is a mutation of Grenache, particularly focused on villosity.

## Use

Wine grape variety.

## Name of the variety in France

Lledoner pelut

## Synonymy

In Spain, Lledoner pelut is officially designated as "Garnacha Peluda". This synonym is officially recognized in France regarding plant propagation material.

## Regulatory data

In France, Lledoner pelut is officially listed in the "Catalogue of vine varieties" on the A list and classified. This variety is also listed in the catalogue of Spain.

## Description elements

The identification is based on:

- the tip of the young shoot with high density of prostrate hairs,
- the green young leaves,
- the adult leaves with a slightly open or closed petiole sinus, with an sometimes a tooth on the edge, an elongated main lobe, a slightly blistered leaf blade, and on the lower side a low to medium prostrate hairs,
- the slightly ellipsoid berries.

# Evolution of cultivated areas in France

Year ha

1979212

1988625

1998584

2008534

2018286

## Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	135	223	239	191	188	258	240	243	239
Allele 2	143	238	243	191	188	258	254	243	249

### Cultivation and agronomic skills

This variety shares some of the characteristics and potential of Grenache. It is sometimes considered to be more vigorous and displays less susceptibility to coulure.

### Susceptibility to Diseases and Pests

This variety's behavior towards the main diseases is the same as that of Grenache, except Lledoner pelut is more susceptible to mites.

### Clonal selection in France

The two certified Lledoner pelut clones carry the numbers 1055 and 1056.

### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE -

### Phenology

Bud burst: 8 days after Chasselas.  
Grape maturity: late-season, 4 weeks after Chasselas.

### Technological potential

The bunches and berries are medium in size. Lledoner has close potentials to those of Grenache, but with slightly lesser natural alcohol degree.



---

*Plantgrape, all rights reserved,  
plantgrape.com, © UMT Géno-Vigne®  
INRA - IFV - L'Institut Agro Montpellier*