

# Merlot blanc B

Wine grape variety.



## Origin

This variety was developed in the Bordeaux region vineyards. Based on genetic analyses carried out in Montpellier, Merlot blanc would be the result of crossbreeding Folle blanche and Merlot.

## Use

Wine grape variety.

## Name of the variety in France

Merlot blanc

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Merlot blanc is officially listed in the "Catalogue of vine varieties" on the A list and classified.

## Description elements

The identification is based on:

- the tip of the young shoot with a high density of prostrate hairs,
- the green young leaves,
- the circular adult leaves, with five or seven lobes, deep lateral sinuses, an open U-shaped petiole sinus, long teeth compared to their width at the base with straight sides, no anthocyanin coloration of veins, an involute blistered leaf blade, and on the lower side of the leaves, a low to medium density of erect and prostrate hairs,
- the round-shaped berries.

# Evolution of cultivated areas in France

Year    ha

19585275

19683662

19791905

1988766

1998116

200871

201824

## Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	149	223	239	186	194	252	248	227	239
Allele 2	149	234	247	188	196	260	248	245	271

### Cultivation and agronomic skills

Merlot blanc is very fertile, productive and regular. It is susceptible to drought.

### Susceptibility to Diseases and Pests

Merlot blanc is very susceptible to grey rot. When ungrafted in the sands, it is heavily affected by root-knot nematodes.

### Clonal selection in France

The only certified Merlot blanc clone carries the number 1182.

### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro | Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.

### Phenology

Bud burst: 2 days after Chasselas.  
Grape maturity: mid-season, 3 weeks after Chasselas.

### Technological potential

The bunches are medium in size and the berries are small. Merlot blanc produces relatively neutral and average quality wines.



*Plantgrape, all rights reserved,  
plantgrape.com, © UMT Géno-Vigne®  
INRA - IFV - L'Institut Agro Montpellier*