

Mourvaison N

Wine grape variety.



Origin

Mourvaison is a variety from Provence. Based on genetic analyses carried out in Montpellier, it would be the result of crossbreeding Aubun and Pougayen.

Use

Wine grape variety.

Name of the variety in France

Mourvaison

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Mourvaison is officially listed in the "Catalogue of vine varieties" on the A list and classified.

Description elements

The identification is based on:

- the tip of the young shoot with a high density of prostrate hairs,
- the young leaves have bronze spots,
- the circular, medium to large, entire adult leaves, with a slightly open U-shaped petiole sinus, small to moderate teeth of average length compared to their width at the base with straight sides, a weak to moderate anthocyanin coloration of veins, an involute leaf blade, and on the lower side of the leaves, a medium to low density of erect and prostrate hairs,
- the ellipsoid berries.

Evolution of mother vine surfaces

| Year | 1958 | 1968 | 1979 | 1988 | 2000 | 2008 | 2018 |
|------|------|------|------|------|------|------|------|
| ha | 118 | 117 | 22 | 8 | 4 | 4 | 2.7 |

Genetic profile

| MicrosatelliteVVS2 | | VVMD5 | VVMD7 | VVMD27 | VRZAG62 | VRZAG79 | VVMD25 | VVMD28 | VVMD32 |
|--------------------|-----|-------|-------|--------|---------|---------|--------|--------|--------|
| Allele 1 | 131 | 223 | 239 | 176 | 186 | 252 | 248 | 243 | 239 |
| Allele 2 | 141 | 229 | 257 | 191 | 194 | 256 | 266 | 247 | 261 |

Technological potential

lacking in finesse.

fungal diseases.

The bunches are large and the berries medium in size.

Mourvaison produces tannic and acidic wines that are

Mourvaison does not seem particularly susceptible to

Susceptibility to Diseases and Pests

Cultivation and agronomic skills

Mourvaison is a vigorous and late variety which must be pruned short and planted in warm and wellexposed terroirs. Certain berries tend to remain green.

Clonal selection in France


The only certified Mourvaison clone carries the number 1171. Surveys have recently been carried out in the wine-growing region of Provence.

Phenology


Grape maturity: late-season, 4 weeks and a half after Chasselas.

Bud burst: 6 days after Chasselas.

Debourrement



Maturité



Bibliographic references

©2023 Plantgrape, all rights reserved

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.











Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier