

# Muscat à petits grains roses Rs

Wine grape variety.



## Origin

This variety corresponds to the pink mutation of Muscat à petits grains blancs.

## Use

Wine grape variety.

## Name of the variety in France

Muscat à petits grains roses

## Synonymy

In the European Union, Muscat à petits grains roses is officially called by other names: Moscatel de Grano Menudo Rojo (Spain) and Roter Muskateller (Germany). These synonyms are officially recognized in France regarding plant propagation material.

## Regulatory data

In France, Muscat à petits grains roses is officially listed in the "Catalogue of vine varieties" on the A list and classified. This variety is also listed in the catalogues of other Member States of the European Union: Germany and Spain.

## Description elements

The description corresponds to that of Muscat à petits grains blancs except for the berry skin color when ripe, which is pink in this case. The berries are sometimes slightly obloid.

# Evolution of cultivated areas in France

Year ha

2000114

2008117

201898

## Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	225	233	176	186	252	240	245	263
Allele 2	131	234	249	191	196	256	248	267	271

### Cultivation and agronomic skills

Aptitudes are similar to those of Muscat à petits grains blancs. Muscat à petits grains roses however appears to be a little bit earlier.

### Susceptibility to Diseases and Pests

The behavior of this variety toward diseases is comparable to that of Muscat à petits grains blancs.

### Clonal selection in France

The only certified Muscat à petits grains roses clone carries the number 1172.

### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro | Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.

### Phenology

Bud burst: 2 days before Chasselas.  
Grape maturity: early-season, 1 week after Chasselas.

### Technological potential

The bunches are small to medium in size and the berries are medium to large. Muscat à petits grains roses produces wines with a comparable quality of those produced with Muscat à petits grains blancs.



*Plantgrape, all rights reserved,  
plantgrape.com, © UMT Géno-Vigne®  
INRA - IFV - L'Institut Agro Montpellier*