

# Muscat à petits grains rouges Rg

Wine grape variety.



## Origin

This variety corresponds to the red mutation of Muscat à petits grains blancs.

## Use

Wine grape variety.

## Name of the variety in France

Muscat à petits grains rouges

## Description elements

The description corresponds to that of Muscat à petits grains blancs except for the berry skin color when ripe, which is dark red in this case.

## Synonymy

In the European Union, Muscat à petits grains rouges is officially called by other names: Busuioaca de Bohotin (Romania), Moscatel Galego Roxo (Portugal), Muskateller Roter (Austria). These synonyms are officially recognized in France regarding plant propagation material.

## Regulatory data

In France, Muscat à petits grains rouges is officially listed in the "Catalogue of vine varieties" on the A list and classified. This variety is also listed in the catalogues of other Member States of the European Union: Austria, Portugal and Romania.

# Evolution of cultivated areas in France

Year	1958	1988	1998	2008	2018
ha	43	436	368	341	218

## Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	225	233	176	186	252	240	245	263
Allele 2	131	234	249	191	196	256	248	267	271

### Cultivation and agronomic skills

Aptitudes are close to those of Muscat à petits grains blancs. Muscat à petits grains rouges would however appear to be a little bit earlier.

### Clonal selection in France

The three certified Muscat à petits grains rouges clones carry the numbers 1194, 1382 and 1383.

### Phenology

Bud burst: 2 days before Chasselas.  
Grape maturity: early-season, 1 week and a half after Chasselas.


### Technological potential

The bunches and berries are medium in size. Muscat à petits grains rouges produces quality sweet and dry wines. These wines have an average color with a good balance between sugar content and acidity.


### Susceptibility to Diseases and Pests

The behavior of this variety toward diseases is comparable to that of Muscat à petits grains blancs, with perhaps less susceptibility to powdery mildew and grey rot.

### Debourrement



### Maturité



### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.



---

*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*