

Muscat Ottonel B

Wine grape variety.



Origin

This variety was obtained by Mr Moreau-Robert in the 19th century. Based on genetic analyses carried out in Montpellier, it would result from the crossbreeding between Chasselas and Muscat d'Eisenstadt.

Use

Wine grape variety.

Name of the variety in France

Muscat Ottonel

Synonymy

In the European Union, Muscat Ottonel is officially called by other names: Moschato Samou (Cyprus) and Ottonel muskotály (Hungary). These synonyms are officially recognized in France regarding plant propagation material.

Regulatory data

In France, Muscat Ottonel is officially listed in the "Catalogue of Vine Varieties" on the A list and classified. This variety is also listed in the catalogues of other Member States of the European Union: Austria, Bulgaria, Croatia, Cyprus, Czech Republic, Germany, Hungary, Italy, Luxembourg, Romania, Slovakia and Slovenia.

Description elements

The identification is based on:

- the tip of the young shoot with a low density of prostrate hairs,
- the reddish young leaves,
- the shoots with red-striped internodes and long tendrils,
- the circular adult leaves, with three or five lobes, a slightly open or closed petiole sinus, short or medium teeth compared to their width at the base with convex sides, no anthocyanin coloration of veins, a flat, smooth leaf blade, with a low to medium density of erect hairs on the veins on the upper side of the leaves, and on the lower side of the leaves, a medium to high density of erect hairs
- round-shaped berries with muscaté flavor.

Evolution of mother vine surfaces

| Year | 1968 | 1979 | 1988 | 1998 | 2008 | 2018 |
|------|------|------|------|------|------|------|
| ha | 192 | 446 | 429 | 158 | 162 | 158 |

Genetic profile

| | MicrosatelliteVVS2 | VVMD5 | VVMD7 | VVMD27 | VRZAG62 | VRZAG79 | VVMD25 | VVMD28 | VVMD32 |
|----------|--------------------|-------|-------|--------|---------|---------|--------|--------|--------|
| Allele 1 | 131 | 223 | 239 | 176 | 188 | 256 | 248 | 257 | 239 |
| Allele 2 | 141 | 225 | 243 | 186 | 194 | 260 | 254 | 267 | 263 |

Cultivation and agronomic skills

Muscat Ottonel is an early and weak variety, with a horizontal bearing. Not very sensitive to chlorosis, it is well adapted to clay-limestone terroirs. However, it is sensitive to coulure.

Clonal selection in France

The only certified Muscat Ottonel clone carries the number 59.

Phenology

Bud burst: 6 days after Chasselas.

Grape maturity: early-season, same as Chasselas.


Technological potential

The bunches are small to medium in size and the berries are medium to large. This variety has a good sugar potential and can produce aromatic dry wines and liqueur wines.


Susceptibility to Diseases and Pests

Muscat Ottonel is sensitive to downy mildew and grey rot.

Debourrement



Maturité



Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.



*Plantgrape, all rights reserved,
plantgrape.fr, UMT Géno-Vigne®
INRAE - IFV - L'Institut Agro Montpellier*