

# Arriloba B

Wine grape variety.



## Origin

This variety was obtained in 1954 by INRA by crossbreeding Raffiat de Moncade and Sauvignon.

## Use

Wine grape variety.

## Name of the variety in France

Arriloba

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Arriloba is officially listed in the "Catalogue of vine varieties" on the A list and classified.

---

## Description elements

The identification is based on:

- the green young leaves with bronze spots,
- the adult leaves with three lobes (rarely five lobes), an open U-shaped petiole sinus, long teeth with straight sides, a moderate anthocyanin coloration of veins, a twisted, involute leaf blade, and on the lower side of the leaves, a low to medium density of erect and prostrate hairs,
- the round-shaped berries.

# Evolution of cultivated areas in France

| Year | 1988 | 2000 | 2008 | 2018 |
|------|------|------|------|------|
| ha   | 10   | 58   | 59   | 33   |

## Genetic profile

| Microsatellite | VVS2 | VMD5 | VMD7 | VMD27 | VRZAG62 | VRZAG79 | VMD25 | VMD28 | VMD32 |
|----------------|------|------|------|-------|---------|---------|-------|-------|-------|
| Allele 1       | 131  | 223  | 239  | 178   | 188     | 244     | 240   | 235   | 239   |
| Allele 2       | 131  | 229  | 249  | 186   | 188     | 246     | 240   | 245   | 239   |

### Cultivation and agronomic skills

This variety is vigorous, fertile and productive. It is sometimes susceptible to dessication of the stems and would appear well adapted to machine harvesting.

### Clonal selection in France

The only certified Arriloba clone carries the number 762.

### Phenology

Bud burst: 2 days after Chasselas.  
Grape maturity: early-season, 1 week after Chasselas.


### Technological potential

The bunches are medium in size and the berries are very small. The wines produced are quite fine and slightly aromatic.


### Susceptibility to Diseases and Pests

Arriloba resists well to grey rot (thick skin).

### Debourrement



## Maturité



## Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.



*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*