

# Ora B

# Table grape variety.







### Origin

This variety was obtained in 1968 by INRA by crossbreeding again a variety resulting from the crossbreeding of Cinsaut and Perle de Csaba with Cardinal.

#### Use

Table grape variety.

### Name of the variety in France

Ora

### Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

### Regulatory data

In France, Ora is officially listed in the "Catalogue of vine varieties" on the A list. This variety is also listed in the catalogue of Bulgaria.

### **Description elements**

The identification is based on:

- the tip of the young shoot with a medium density of prostrate hairs,
- the green young leaves with bronze spots,
- the pentagonal or wedge-shaped adult leaves, with five lobes, a closed U-shaped petiole sinus with slightly overlapping lobes, short to moderate teeth with straight or convex sides, no or a very slight anthocyanin coloration of veins, a smooth twisted leaf blade, and ton the lower side of the leaves, no or a very low density of erect hairs and a low density of prostrate hairs,
- the ellipsoid berries.

## **Evolution of cultivated areas in France**

| Year | 2000 | 2008 | 2018 |
|------|------|------|------|
| ha   | 48   | 40   | 20   |

# **Genetic profile**

| Microsatell | iteVVS2 | VVMD5 | VVMD7 | VVMD27 | VRZAG62 | VRZAG79 | VVMD25 | VVMD28 | VVMD32 |
|-------------|---------|-------|-------|--------|---------|---------|--------|--------|--------|
| Allele 1    | 131     | 223   | 243   | 178    | 186     | 252     | 248    | 216    | 261    |
| Allele 2    | 133     | 234   | 249   | 182    | 188     | 260     | 254    | 243    | 271    |

### Cultivation and agronomic skills

Ora has moderate vigor with an erect or semi-erect bearing. This variety can be managed by long or short pruning. Ora is a little sensitive to millerandage.

### **Clonal selection in France**

The only certified Ora clone carries the number 974.

### **Phenology**

Bud burst: 4 days after Chasselas.

Grape maturity: very early season, 1 week before Chasselas.


### **Technological potential**

The bunches are medium to large, supple and not very compact. The berries are medium, simple-flavored, with a thin skin and a firm and juicy pulp. When ripe, the clusters are golden and very sweet. Ora has good a storage capacity and transport capacity.


### Susceptibility to Diseases and Pests

Ora is not very sensitive to grey rot.

### Debourrement



### Maturité



### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE ©2023 Plantgrape, all rights reserved

Institut Agro Montpellier, Marseillan, France.

- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.











Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier