

# Ora B

Table grape variety.



## Origin

This variety was obtained in 1968 by INRA by crossbreeding again a variety resulting from the crossbreeding of Cinsaut and Perle de Csaba with Cardinal.

## Use

Table grape variety.

## Name of the variety in France

Ora

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Ora is officially listed in the "Catalogue of vine varieties" on the A list. This variety is also listed in the catalogue of Bulgaria.

## Description elements

The identification is based on:

- the tip of the young shoot with a medium density of prostrate hairs,
- the green young leaves with bronze spots,
- the pentagonal or wedge-shaped adult leaves, with five lobes, a closed U-shaped petiole sinus with slightly overlapping lobes, short to moderate teeth with straight or convex sides, no or a very slight anthocyanin coloration of veins, a smooth twisted leaf blade, and on the lower side of the leaves, no or a very low density of erect hairs and a low density of prostrate hairs,
- the ellipsoid berries.

# Evolution of cultivated areas in France

Year ha

200048

200840

201820

## Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	223	243	178	186	252	248	216	261
Allele 2	133	234	249	182	188	260	254	243	271

### Cultivation and agronomic skills

Ora has moderate vigor with an erect or semi-erect bearing. This variety can be managed by long or short pruning. Ora is a little sensitive to millerandage.

### Susceptibility to Diseases and Pests

Ora is not very sensitive to grey rot.

### Clonal selection in France

The only certified Ora clone carries the number 974.

### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro | Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.

### Phenology

Bud burst: 4 days after Chasselas.  
Grape maturity: very early season, 1 week before Chasselas.

### Technological potential

The bunches are medium to large, supple and not very compact. The berries are medium, simple-flavored, with a thin skin and a firm and juicy pulp. When ripe, the clusters are golden and very sweet. Ora has good a storage capacity and transport capacity.



*Plantgrape, all rights reserved,  
plantgrape.com, © UMT Géno-Vigne®  
INRA - IFV - L'Institut Agro Montpellier*