

Aubin B

Wine grape variety.



Origin

This variety is originally from the north east of France (Lorraine) and based on published genetic analyses, it would result from the crossbreeding of Gouais blanc and Savagnin.

Use

Wine grape variety.

Name of the variety in France

Aubin

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Aubin is officially listed in the "Catalogue of vine varieties" on the A list and classified.

Description elements

The identification is based on:

- the tip of the young shoot with a high density of prostrate hairs,
- the green young leaves with bronze spots,
- the shoots with red striped internodes,
- the adult leaves with three lobes, U-shaped open lateral sinuses, a closed petiole sinus with overlapping lobes, short teeth compared to their width at the base with straight or convex sides, a strong anthocyanin coloration of veins, a revolute, gophered and blistered leaf blade, and on the lower side of the leaves, a medium density of erect and prostrate hairs,
- the round-shaped berries.

Evolution of cultivated areas in France

| Year | 1958 | 2018 |
|------|------|------|
| ha | 3 | 1.2 |

Genetic profile

| | MicrosatelliteVVS2 | VVMD5 | VVMD7 | VVMD27 | VRZAG62 | VRZAG79 | VVMD25 | VVMD28 | VVMD32 |
|----------|--------------------|-------|-------|--------|---------|---------|--------|--------|--------|
| Allele 1 | 141 | 232 | 249 | 176 | 194 | 238 | 248 | 227 | 271 |
| Allele 2 | 149 | 236 | 257 | 186 | 204 | 246 | 254 | 233 | 271 |

Cultivation and agronomic skills

Aubin is not very vigorous, early and moderately fertile. It must be planted in areas where the risk of spring frost is low because of its very early budburst.

Clonal selection in France

The only certified Aubin clone carries the number 1262.

Phenology

Bud burst: same as Chasselas.
Grape maturity: early-season, 1 week and a half after Chasselas.


Technological potential

The bunches are medium in size and the berries are small. Aubin produces average quality wines, not very aromatic and moderately acidic.


Susceptibility to Diseases and Pests

Aubin does not seem particularly susceptible to diseases.

Debourrement



Maturité



Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
©2023 Plantgrape, all rights reserved

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.



*Plantgrape, all rights reserved,
plantgrape.fr, UMT Géno-Vigne®
INRAE - IFV - L'Institut Agro Montpellier*