

# Valdigué N

Wine grape variety.



## Origin

Valdigué would originally be from the Quercy region.

## Use

Wine grape variety.

## Name of the variety in France

Valdigué

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Valdigué is officially listed in the "Catalogue of vine varieties" on the A list and classified.

---

## Description elements

The identification is based on:

- the tip of the young shoot with a high density of prostrate hairs,
- the yellow young leaves,
- the pentagonal adult leaves, entire or with three lobes, with a slightly open petiole sinus with parallel edges or slightly overlapping lobes, short teeth compared to their width at the base with straight sides, no anthocyanin coloration of veins, a blistered leaf blade, undulate between de veins, and on the lowers side of the leaves, a low to medium density of erect and prostrate hairs,
- the round-shaped or slightly ellipsoid berries, with often small berries that remain green.

# Evolution of cultivated areas in France

Year	1958	1968	1979	1988	1998	2008	2018
ha	4908	4364	844	273	269	172	88

## Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	141	223	239	176	196	256	248	235	239
Allele 2	149	236	262	188	202	260	254	267	255

### Cultivation and agronomic skills

This variety is fertile, productive, with an erect bearing, and is well adapted to short pruning.

### Clonal selection in France

There is no certified clone for this variety yet.

### Phenology

Bud burst: 4 days after Chasselas.

Grape maturity: mid-season, 3 weeks after Chasselas.


### Technological potential

The bunches and berries are medium to large in size. Valdiguié produces colored, bright, light wines, with a low alcohol degree and tannins that are a little bit astringent.


### Susceptibility to Diseases and Pests

Valdiguié is slightly susceptible to grey rot and powdery mildew.

### Debourrement



### Maturité



### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.

- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.



---

*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*