

# Victoria B

## Table grape variety.







## Origin

This table grape variety was obtained in 1964 in Romania by V. Lepadatu and Condei by crossbreeding Cardinal and Dattier de Beyrouth.

## Use

Table grape variety.

## Name of the variety in France

Victoria

### Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Victoria is officially listed in the "Catalogue of vine varieties" on the A list. This variety is also listed in the catalogues of other Member States of the European Union: Austria, Bulgaria, Italy and Romania.

### **Description elements**

The identification is based on:

- the tip of the young shoot with no prostrate hairs,
- the green young leaves,
- the green shoots,
- the wedge-shaped adult leaves, with three or five lobes, shallow lateral sinuses, an open U-shaped petiole sinus, large teeth with straight or convex sides, no anthocyanin coloration of veins, a twisted blistered leaf blade, and on the lower side of the leaves, no erect and prostrate hairs,
- the ellipsoid berries.

## **Evolution of cultivated areas in France**

Year 2018 0

## Genetic profile

MicrosatelliteVVS2		VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	133	223	239	182	186	244	254	233	251
Allele 2	133	234	249	182	188	252	254	267	257

## Cultivation and agronomic skills

Victoria has a strong vigor and a semi-erect to horizontal bearing. This variety must be trellised and can be pruned short or long.

### **Clonal selection in France**

The two certified Victoria clones carry the numbers 6009 and 6010.

## Phenology

Bud burst: 8 days after Chasselas.

Grape maturity: early-season, 1 week and a half after Chasselas.

Victoria is not very sensitive to grey rot.

## Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE -Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Registro nazionale delle varieta di vite. Ministère de l'agriculture italien [ web site, visited in 2020].









**Technological potential** 

Victoria's bunches are medium to large, moderately

compact with a nice presentation. The berries are

large with a thick skin and a juicy pulp.

Susceptibility to Diseases and Pests



Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier

