

# Genouillet N

Wine grape variety.



#### Origin

This variety is native to the center of France and based on published genetic analyses, would be the result of the crossbreeding between Gouais blanc and Tressot.

#### Use

Wine grape variety.

#### Name of the variety in France

Genouillet

#### Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

#### Regulatory data

In France, Genouillet is officially listed in the "Catalogue of vine varieties" since 2011 on the A list and classified.

#### **Description elements**

The identification is based on:

- the tip of the young shoot with a low to medium density of prostrate hairs,
- the green young leaves with bronze spots,
- the shoots with red stripes,
- the wedge-shaped or cordate adult leaves, with three or five lobes, deep upper lateral sinuses, a slightly open V-shaped petiole sinus, small to medium teeth with straight sides or with one side convex and one side concave, a weak anthocyanin coloration of veins, an involute, twisted and blistered leaf blade, and on the lower side of the leaves, a low to medium density of erect hairs ans no prostrate hairs,
- the round-shaped or slightly ellipsoid berries.

## **Evolution of cultivated areas in France**

Year	1958	2018
ha	2	4.3

# Genetic profile

MicrosatelliteVVS2		VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	223	249	178	200	244	238	216	239
Allele 2	137	232	249	186	204	246	238	245	271

#### Cultivation and agronomic skills

Genouillet is moderately vigorous, with a semi-erect bearing, and should preferably be pruned short.

#### **Clonal selection in France**

The only certified Genouillet clone carries the number 1291.

#### Phenology

Bud burst: 5 days after Chasselas.

Grape maturitymid-season, 2 weeks and a half after Chasselas.


#### **Technological potential**

Genouillet's bunches are medium in size and compact. The berries are also medium in size. This variety produces fresh, light, colored and pleasant wines.


#### Susceptibility to Diseases and Pests

Genouillet is susceptible to grey rot.

#### Debourrement



#### Maturité



### Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.

- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.
- Wine Grapes. J. Robinson et al., 2012, Ed. Penguin, England.
- Registre Ampélographique International. 1961-1972, Ed. OIV, France.











Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier