

Gaminot N

Wine grape variety.







Origin

This variety was obtained by INRA and SICAREX Beaujolais in the 1980's and results from the crossbreeding of Gamay and Pinot noir.

Use

Wine grape variety.

Name of the variety in France

Gaminot

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Gaminot is officially listed in the "Catalogue of vine varieties" since 2014 on the A list and classified.

Description elements

The identification is based on:

- the tip of the young shoot with a medium density of prostrate hairs,
- the green young leaves with a low density of prostrate hairs,
- the shoots with red-striped internodes and a strong anthocyanin coloration of bud scales,
- the small, wedge-shaped or circular adult leaves, with five lobes, U-shaped lateral sinuses with slightly overlapping lobes, a slightly open or closed, U- or brace-shaped petiole sinus with sometimes naked petiole veins, short teeth compared to their width at the base with straight sides, a very low anthocyanin coloration of veins, a flat or involute, finely blistered leaf blade, and on the lower side of the leaves, no or a very low density of erect hairs and a low density of prostrate hairs,
- the round-shaped berries.

Evolution of cultivated areas in France

Year 2018
ha 0

Genetic profile

MicrosatelliteVVS2		VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	225	239	182	194	240	238	235	239
Allele 2	135	232	249	186	204	246	238	245	271

Cultivation and agronomic skills

Gaminot has a low to medium vigor and a horizontal to semi-erect bearing. It can be pruned short. This variety tends to produce a lot of grappillons.

Clonal selection in France

The only certified Gaminot clone carries the number 1316.

Phenology

Bud burst: 3 days before Chasselas. Grape maturity: mid-season, 2 weeks after Chasselas.


Technological potential

Gaminot's bunches are small and compact. The berries are also small, simple-flavored, sometimes with a slight herbaceous flavor, with a thin skin and a very juicy pulp. This variety produces colored, not very acidic, tannic, fine and balanced wines. Their aromatic profile is close to that of Pinot noir.


Susceptibility to Diseases and Pests

Gaminot is sensitive to downy mildew and powdery mildew. It is however less affected by grey rot.

Debourrement



Maturité



Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - ©2023 Plantgrape, all rights reserved











Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier