

# Pardotte N

# Wine grape variety.







### Origin

This variety could originally be from the Gironde region.

### Use

Wine grape variety.

### Name of the variety in France

Pardotte

### Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

### Regulatory data

In France, Pardotte is officially listed in the "Catalogue of vine varieties" since 2014 on the A list and classified.

## **Description elements**

The identification is based on:

- the white tip of the young shoot with a piping anthocyanin coloration and a high density of prostrate hairs,
- the yellow young leaves with bronze spots and a high density of prostrate hairs,
- the shoots with green or slightly striped internodes,
- the adult leaves with five lobes, an open U-or brace-shaped petiole sinus, small teeth, medium compared to their width at the base with straight or convex sides, no anthocyanin coloration of veins, a finely blistered, flat or involute leaf blade, and on the lower side of the leaves, a medium to high density of erect hairs and a low density of prostrate hairs,
- the round-shaped or slightly ellipsoid berries.

# **Evolution of cultivated areas in France**

Year 2018
ha 1

# **Genetic profile**

MicrosatelliteVVS2		VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	229	239	182	188	252	240	243	239
Allele 2	131	236	239	186	204	252	240	247	255

### Cultivation and agronomic skills

Pardotte is a vigourous and productive variety, with an erect or semi-erect bearing. It is not very susceptible to coulure. If the load is excessive, Pardotte may have maturation issues.

### **Clonal selection in France**

The only certified Pardotte clone carries the number 1351.

### Phenology

Bud burst: 6 days after Chasselas. Grape maturity: mid-season, 3 weeks after Chasselas.


### **Technological potential**

Pardotte's bunches are small to medium in size and compact. The berries are also small to medium in size, with a thick skin, a juicy pulp and a slightly herbaceous flavor. This variety produces ordinary, not very alcoholic and often flat wines.


### Susceptibility to Diseases and Pests

Pardotte is sensitive to downy mildew, anthracnose and grey rot.

#### Debourrement



### Maturité



### Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.
- Registre Ampélographique International. 1961-1972, Ed. OIV, France.
- Cépages du Sud-Ouest. G. Lavignac, 2001, Ed. Rouergue/INRA, France.
- Synonymie du Sud-Ouest. Artozoul and al, 1956, Ed. INRA, France.











Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier