

Verdanel B

Wine grape variety.





is variety is originally from the Gaillac region. Based of genetic analyses carried out in Montpellier, erdaner would be closely related to Savagnin.

Verdanel

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Verdanel is officially listed in the "Catalogue of vine varieties" since 2016 on the A list and classified.

Description elements

The identification is based on:

- the tip of the young shoot with a high density of prostrate hairs,
- the young leaves with bronze spots and a medium to high density of prostrate hairs,
- the shoots with red-striped internodes,

of the variety in France

- the adult leaves with five lobes, a closed petiole sinus with overlapping lobes, short teeth compared to their width at the base with straight or convex sides, a weak anthocyanin coloration of veins in the area of the petiole sinus, a flat or involute leaf blade, finely blistered, and on the lower side of the leaves, a low to medium density of erect and prostrate hairs,
- the round-shaped or ellipsoid berries.

Evolution of mother vine surfaces

 Year
 2018

 ha
 0.1

Genetic profile

MicrosatelliteVVS2		VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	234	239	186	186	246	240	235	251
Allele 2	149	236	257	186	194	248	248	247	271

Cultivation and agronomic skills

Verdanel has a semi-erect bearing.

Clonal selection in France

The only certified Verdanel clone carries the number 1301.

Phenology

Bud burst: 3 days after Chasselas.

Grape maturity: mid-season, 2 weeks and a half after Chasselas.


Technological potential

Verdanel's bunches are small to medium in size and compact. The berries are small, simple-flavored, qith a moderately thick skin and a juicy pulp. The berries have a good sugar accumulation potential and a medium acidity that can quickly drop at the end of the maturation. Verdanel gives balances, full-bodied and warm white wines that are suited to ageing.


Susceptibility to Diseases and Pests

Verdanel is a little sensitive to downy mildew but it is not very susceptible to grey rot.

Debourrement



Maturité



Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France. ©2023 Plantgrape, all rights reserved











Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier