

Bouillet N

Wine grape variety.



Origin

This variety is originally from the south west of France.

Use

Wine grape variety.

Name of the variety in France

Bouillet

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Bouillet is officially listed in the "Catalogue of vine varieties" on the A list and classified.

Description elements

The identification is based on:

- the tip of the young shoot with a high density of prostrate hairs,
- the green young leaves,
- the medium adult leaves, with three lobes, an open U-shaped petiole sinus, small teeth, long compared to their width at the base with straight sides, a moderate anthocyanin coloration of veins, a slighty involute, sometimes goffered leaf blade, and on the lower side of the leaves, a low density of erect hairs and a medium to high density of prostrate hairs,
- the round-shaped berries.

Evolution of mother vine surfaces

Year	1958	1968	1979	1988	2000	2008	2018
ha	176	158	62	19	2	2	0.6

Genetic profile

MicrosatelliteVVS2		VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	223	239	178	188	244	238	233	251
Allele 2	149	236	239	186	196	246	248	257	271

Cultivation and agronomic skills

Bouillet is very fertile, even when pruned short. The attitude of shoots is semi-erect.

Clonal selection in France


The only certified Bouillet clone carries the number 1370.

Phenology


Grape maturity: mid-season, 3 weeks and a half after Chasselas.

Bud burst: 5 days after Chasselas.

Debourrement



Maturité



Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE -©2023 Plantgrape, all rights reserved

Technological potential

The bunches and berries are large. Bouillet produces low quality, often acidic and quite bitter wines.

Susceptibility to Diseases and Pests

Bouillet is susceptible to grey rot.

Institut Agro Montpellier, Marseillan, France.

- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.











Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier