

# **Bouillet N**

# Wine grape variety.



# Origin

This variety is originally from the south west of France.

# Use

Wine grape variety.

# Name of the variety in France

Bouillet

# Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

# Regulatory data

In France, Bouillet is officially listed in the "Catalogue of vine varieties" on the A list and classified.

# **Description elements**

The identification is based on:

- the tip of the young shoot with a high density of prostrate hairs,
- the green young leaves,
- the medium adult leaves, with three lobes, an open U-shaped petiole sinus, small teeth, long compared to their width at the base with straight sides, a moderate anthocyanin coloration of veins, a slighty involute, sometimes goffered leaf blade, and on the lower side of the leaves, a low density of erect hairs and a medium to high density of prostrate hairs,
- the round-shaped berries.

# **Evolution of cultivated areas in France**

Year	1958	1968	1979	1988	2000	2008	2018
ha	176	158	62	19	2	2	0.6

# **Genetic profile**

MicrosatelliteVVS2		VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	223	239	178	188	244	238	233	251
Allele 2	149	236	239	186	196	246	248	257	271

# Cultivation and agronomic skills

Bouillet is very fertile, even when pruned short. The attitude of shoots is semi-erect.

# **Clonal selection in France**


The only certified Bouillet clone carries the number 1370.

# Phenology


Grape maturity: mid-season, 3 weeks and a half after Chasselas.

Bud burst: 5 days after Chasselas.

# Debourrement



# Maturité



# Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE -©2023 Plantgrape, all rights reserved

# **Technological potential**

The bunches and berries are large. Bouillet produces low quality, often acidic and quite bitter wines.

# Susceptibility to Diseases and Pests

Bouillet is susceptible to grey rot.

Institut Agro Montpellier, Marseillan, France.

- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.











Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier