

Chasselas Muscat B

Table grape variety.



Origin

This variety is the muscat flavor mutation of Chasselas.

Use

Table grape variety.

Name of the variety in France

Chasselas Muscat

Synonymy

In Croatia, Chasselas muscat is officially designated as "Plemanka muskatna". This synonym is officially recognized in France regarding plant propagation material.

Regulatory data

In France, Chasselas Muscat is officially listed in the "Catalogue of vine varieties" on the A list.

Description elements

The description corresponds to that of Chasselas, except for the berry flavor that is slightly muscaty when ripe.

Evolution of cultivated areas in France

Year 2018

ha 0

Genetic profile

	MicrosatelliteVVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	225	239	182	194	252	240	216	239
Allele 2	141	234	247	186	204	260	254	267	239

Cultivation and agronomic skills

The aptitudes of Chasselas Muscat are comparable to those of Chasselas.

Clonal selection in France

There is no certified clone for this variety yet.

Phenology

Bud burst: 2 days before Chasselas.
Grape maturity: early-season, same as Chasselas.


Technological potential

The bunches and berries are small to medium in size.


Susceptibility to Diseases and Pests

This variety's behavior towards diseases is the same as that of Chasselas.

Debourrement



Maturité



Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.



*Plantgrape, all rights reserved,
plantgrape.fr, UMT Géno-Vigne®
INRAE - IFV - L'Institut Agro Montpellier*