

# Feunate N

Wine grape variety.



## Origin

This variety would appear to originally be from the Drôme region. Based on published genetic analyses, Feunate is probably a descendant of Gouais blanc and Pougayen.

## Use

Wine grape variety.

## Name of the variety in France

Feunate

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Feunate is officially listed in the "Catalogue of vine varieties" on the A list and classified.

## Description elements

The identification is based on:

- the tip of the young shoot with a high density of prostrate hairs,
- the green young leaves with bronze spots,
- the shoots with red internodes,
- the adult leaves, entire or with three or five lobes, shallow U-shaped lateral sinuses, with a closed petiole sinus and overlapping lobes, long teeth with straight sides, a slight anthocyanin coloration of veins, a flat leaf blade, involute on the edges, and on the lower side of the leaves, a medium density of prostrate hairs,
- the ellipsoid berries.

# Evolution of mother vine surfaces

Year	1958	1968	1979	1988	2018
ha	68	57	6	2	0.1

## Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	236	239	176	188	244	238	245	249
Allele 2	141	238	243	178	196	256	254	247	271

### Cultivation and agronomic skills

Feunate is vigorous, fertile, productive, with an erect bearing and must be pruned short.

### Clonal selection in France

The only certified Feunate clone carries the number 1225. Surveys have recently been carried out in the wine-growing region of the French department of Drôme.

### Phenology

Bud burst: 2 days after Chasselas.

Grape maturity: mid-season, 3 weeks after Chasselas.


### Technological potential

The bunches are medium to large and the berries are large. Feunate produces colored wines that are relatively acidic with low alcoholic degree.


### Susceptibility to Diseases and Pests

Feunate does not show any particular sensitivity to downy and powdery mildew, but seems a little sensitive to grey rot.

### Debourrement



### Maturité



### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.



---

*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*