


New

# Pougnét N

Wine grape variety.



## Origin

This variety is originally from Ardèche.

## Use

Wine grape variety.

## Name of the variety in France

Pougnét

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Pougnét is officially listed in the "Catalogue of vine varieties" since 2021 on the A list but is not yet classified.

## Description elements

The identification is based on:

- the white tip of the young shoot with a high density of prostrate hairs,
- the young leaves with bronze spots and a medium to low density of prostrate hairs,
- the red or red-striped shoots,
- the pentagonal or wedge-shaped, medium-sized adult leaves, whole or sometimes with three or five lobes, a closed lyre-shaped petiole sinus, small teeth, short compared to their width at the base, with convex sides, a low anthocyanin pigmentation of the veins, a tormented, blistered blade and, on the lower side of the blade, and no or a very low density of prostrate hairs and erect hairs,
- the round-shaped berries.

# Genetic profile

Microsatellite	VVS2	VMD5	VMD7	VMD27	VRZAG62	VRZAG79	VMD25	VMD28	VMD32
Allele 1	131	225	239	188	188	252	240	216	239
Allele 2	149	236	257	191	194	252	248	233	271

## Cultivation and agronomic skills

Pouget has a semi-erect bearing. This productive variety should be pruned short as the buds at the base are sufficiently fertile. Because of its late ripening, it grows nicely on well-exposed soils, such as sandstone or granite.

## Clonal selection in France

There is no certified clone for this variety yet.

## Phenology

Bud burst: 4 days after Chasselas.

Grape maturity: mid-season, 3 and a half weeks after Chasselas.


## Technological potential

Pouget's bunches are medium-sized, with medium thin-skinned berries. It produces wines that are low in alcohol, rich in tannins, astringent and relatively deep in colour, suitable for ageing.


## Susceptibility to Diseases and Pests

This variety is not very sensitive to downy and powdery mildew.

## Debourrement



## Maturité



## Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.
- Registre Ampélographique International. 1961-1972, Ed. OIV, France.



---

*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géo-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*