

Fer N

Wine grape variety.



Origin

This variety from the south west of France could originally be from the Gironde.

Use

Wine grape variety.

Name of the variety in France

Fer

Synonymy

In France, this variety can officially be called "Braucol", "Fer servadou", "Mansois" or "Pinenc" regarding plant propagation material.

Regulatory data

In France, Fer is officially listed in the "Catalogue of vine varieties" on the A list and classified.

Description elements

The identification is based on:

- the green young leaves with bronze spots,
- the small or medium adult leaves, with five lobes, shallow lateral sinuses, a slightly open petiole sinus, short teeth, no anthocynanin coloration of veins, a twisted leaf blade, and on the lower side of the leaves, a low density of erect and prostrate hairs,
- the round-shaped berries, with a herbaceous flavor.

Evolution of cultivated areas in France

Year	1958	1968	1979	1988	1998	2008	2018
ha	952	978	319	494	1248	1679	1584

Genetic profile

MicrosatelliteVVS2		VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	137	223	239	182	188	246	238	227	239
Allele 2	149	236	249	186	200	252	248	247	271

Cultivation and agronomic skills

This variety can be irregularly fertile and must be pruned long. Frequently a substantial part of the buds do not burst. The clusters keep well on the vine trunk and have peduncle which lignifies.

Clonal selection in France

The ten certified Fer clones carry the numbers 420, 421, 556, 557, 628, 670, 671, 672, 895 and 1347.

Two conservatories with a total of 120 clones are planted in the win-growing region of Gaillac (French department of Tarn) and in the French department of Aveyron.

Phenology

Bud burst: 6 days after Chasselas.

Grape maturity: mid-season, 3 weeks and a half after Chasselas.

-


Technological potential

The bunches are medium in size and compact while the berries are small to medium in size. Fer produces lively wines, moderately colored but rather tannic and rustic with typical (wild) aromas. When the grapes have reached maturity, if the yields are managed, Fer's aromas are fruity (blackcurrant, red berries).


Susceptibility to Diseases and Pests

Fer usually has a good resistance to grey rot. This variety is also not very sensitive to downy mildew, but is it is susceptible to vine leafhoppers.

Debourrement



Maturité



Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.











Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier