

# 420 A Millardet et de Grasset



## Genetic origin

This variety results from the crossbreeding of *Vitis berlandieri* and *Vitis riparia*.

## Name of the variety in France (and usual name)

420 A MGt

## Breeder/breeder and year obtained

Alexis Millardet and Charles de Grasset, 1887.

## Estimated surface area of the French vineyard grafted with this rootstock and main regions of use

13 000 ha . Aquitaine, Rhône-Alpes, Languedoc-Roussillon, Midi-Pyrénées, Bourgogne Franche-Comté, Provence-Alpes-Côte d'Azur.

## Elements of ampelographic description

The identification is based on:

- the tip of the young shoot that is half open or closed, with a medium density of prostrate hairs,
- the slightly bronzed young leaves,
- the elongated shootd, with an elliptic section, a ribbed surface, red internodes and nodes on the dorsal side, and on the ventral side, green internodes and red nodes up to the tip, and no erect hairs,
- the wedge-shaped, shiny, dark green adult leaves, entire or with sometimes three or five lobes on the leaves at the base, with an open U-shaped petiole sinus, a moderate anthocyanin coloration of veins, and on the lower side of the leaves, a low density of erect hairs,
- the male flowers,
- the yellow or reddish brown woody shoots.

## Evolution of mother vine surfaces

---

Year	1945	1955	1965	1975	1985	1995	2005	2015
ha	68	100	107	71	39	25	49	25

---

## Genetic profile

---

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	124	236	231	238	191	256	238	243	263
Allele 2	135	261	262	270	196	256	270	245	263

---

---

### Resistance to soil pests

420 A MGt is highly tolerant to the root form of phylloxera. Its resistance to *Meloidogyne incognita* and *Meloidogyne arenaria* nematodes is also good.

### Aptitudes for vegetative multiplication

420 A wood production is moderate (30 000 to 60 000 m/ha) with canes that easily lignify, but the internodes diameter is sometimes thin. The growth of lateral shoot buds is significant. 420 A MGt has a low cutting capacity and a moderate grafting aptitude. In order to improve the percentage of cuttings rooting, a slightly more substantial hormoning may be applied.

### Clonal selection in France

In France, the 5 certified 420 A MGt clones carry the numbers 10, 11, 169, 241 et 758. Among those, the clones multiplied are:

- clone No. 10: 4 ha 91 ares of mother vines producing certified material, in 2017,
- clone No. 11: 2 ha 69 ares of mother vines producing certified material, in 2017,
- clone No. 169: 98 ares of mother vines producing certified material, in 2017,
- clone No. 241: 6 ha of mother vines producing certified material, in 2017,
- clone No. 758: 10 ha 77 ares of mother vines producing certified material, in 2017.

Datas are extracted from: Les chiffres de la pépinière viticole, 2017, Datas and assesment of FranceAgriMer, may 2018.

### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Montpellier SupAgro, Marseillan, France.
- Cépages et vignobles de France, tome 1. P. Galet, 1988, Ed. Dehan, Montpellier, France.

### Adaptation to the environment

420 A MGt resists up to 35% of "total" limestone, 20% of "active" limestone and an ICP of 40. Its resistance to iron chlorosis is moderate to good. This rootstock seems well adapted to fertile conditions and to fairly deep clay-limestone soils with a sufficient water input. However, it is poorly adapted to compact soils and excessive spring humidity. 420 A MGt does not absorb well potassium in the soil. The varieties grafted, particularly the most sensitive, can frequently show signs of potassium deficiency with this rootstock.

### Interaction with the graft and production objectives

420 A MGt confers a low vigor to the grafts and the vegetative development of the vines is limited. It does however tend to delay maturity. 420 A MGt promotes floral initiation. Given the low conferred vigor, yields must be limited, particularly during the first years of production, to avoid unbalanced vines. 420 A MGt works well with Cabernet franc, Merlot and Tannat.



*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*